



O&M MANUAL

WORKWALL



CONTENTS

Available Finishes

Operating Instructions

Care & Maintenance

Terms & Conditions

Details of Warranties

WORKWALL









FINISHES

WORKWALL



FINISHES

MFC - SQUARE EDGE



35 	SO 	60 	YY 	69 	20 	19 
Verade Oak Kronospan D305 SU	Light Sorano Oak Egger H1334 ST9	Grey Nebraska Oak Egger H3332 ST10	Beige Grey Lorenzo Oak Egger H3146 ST9	Gold Craft Oak Kronospan K003 PW	Natural Noble Elm Kronospan D5500 SU	Silver Liberty Elm Kronospan K019 PW
24 	VV 	46 	BB 	30 	RR 	10 
Tiepolo Walnut Kronospan D8953 SU	Maple Kronospan D375 PR	Bavaria Beech Kronospan D381 PR	Black Egger U999 ST7	Anthracite Kronospan U164 PE	Reed Green Egger U604 ST9	Stone Grey Egger U727 ST9
GG 	KK 	NN 				
White Egger W980 ST2	Grey Egger U708 ST9	Taupe Grey Egger U750 ST9				

METAL FRAME FINISHES

STANDARD LEG FINISHES

B 	W 
RAL9005 Black	RAL9016 White

OTHER

M 	R 	Z 	C 
RAL9006 Silver	Raw Clear Lacquer	Bronze Y2214F	Beige Grey RAL7006

Other finishes are available at a minimum order quantity.
Order less than 15 positions are subject to a surcharge.

SCREENS - FABRIC OPTIONS

GROUP 1

CAMIRA:

CARA
CARLOW
ERA170
LUCIA
RACER
SONUS

GROUP 2

CAMIRA:

BLAZER
BLAZER LITE
MAINLINE FLEX
MAINLINE PLUS
NEXUS
QUEST

GABRIEL:

CONNECT
STEP

GROUP 3

CAMIRA:

AQUARIUS
SYNERGY
SYNERGY170
SUMI

P.O.A.

KVADRAT:

REMIX 2/3
FLOYD
REVIVE 1/2
UMAMI

WORKWALL

SPECIFICATION

WORKWALL SPECIFICATION

By the very nature of its design, Taskwall has a wide functionality in the workplace. The basic principles of the product are primarily as a flexible space saver. This is relevant as companies continue the need to maximise the efficiencies of their office space.


Taskwall is available as a non structural workwall solution using three vertical wall fixed sections attached to existing ply backed drywall with z bar fixings. This product can be sold in a multitude of different ways as the wall hung solutions are split into top, middle and bottom sections. The wall hung modules are available in 1400, 1600, 1800 and 2000 standard widths that can be used individually or combined in runs. A range of accompanying storage and desking are available that combine with Taskwall to create your perfect working environment, including cellular, open plan, meeting, breakout and training areas.

The top sections are available in a variety of styles. Elements consisting of shelves including brushed stainless steel book ends or cabinets including flipper or sliding glass door options. Horizontal elements in 25mm MFC board are cantilevered off vertical panels via spigot and flat plate fixings through pre drilled apertures.

Mid panels are fabric wrapped particle board with metal trim to exposed ends and slimline top accessory rail as standard. These are available in a wide selection of Camira fabrics from the Lucia, Mainline and Blazer Lite ranges.

Base sections are basic 25mm wall hung panels in your chosen finish. These are available in various sizes to suit the storage elements and to avoid existing skirting 18mm plinth panels can be ordered as an optional extra that are attached to the base panel via plates.

Additional integrated LED under shelf lighting is available, and needs to be specified at point of order.




WORKWALL SPECIFICATION

Top sections are available in Double and Single shelf styles. Double shelves provide more storage space and are suited to be used with storage elements and fixed height desking, leaving a clearance distance of 570mm between 740mm high desk top to underside of lowest shelf. The double shelf options are not suitable to use with LiFT3 desking due to clash issues.


Single shelf top sections must be used when positioning a LiFT3 desk beneath. These provide a clearance distance of 950mm with desk set at 740mm, and 640mm clearance when set at the average 1050mm standing height.

EXAMPLES OF WORKWALL



Wall hung Taskwall can be used with a wide variety of Task tables, desks, benches and storage items. However, this spec book includes a dedicated range of storage and desking products to maximise the work space. These units include cable management areas to accommodate a variety of on site power locations. Standard Task desking ranges such as Team2 and Work can be used up against the storage and the cables can neatly run between the two. There are also low storage units that accept storage mount LiFT3 desks where the leg is fixed within the unit.

Where an office environment doesn't suit a wall hung solution we also offer a Freestanding Alcove. This is basically a MFC wall constructed of 25mm, height adjustable panels. Then within this alcove the standard Taskwall elements can be hung in the same way. A variety of storage units can be used to create your work area. Please note that the inclusion of storage elements within alcoves is essential for stability, as the units are connected together, and into the alcove itself.



Various examples of wall hung and freestanding configurations

WORKWALL

CARE & MAINTENANCE

WORKWALL CLEANING INSTRUCTIONS

The life and good looks of your furniture can be greatly extended by regular cleaning and maintenance. Task Systems Ltd recommends the following procedures be adopted to protect your furniture.

- Regular cleaning with a lightly dampened cloth is all that is required to clean worktops. Excessive amounts of water should however be avoided as this may cause damage to the finish.
- We strongly recommend that proprietary furniture polishes containing silicon be avoided. These will after a period of prolonged use cause the build up of a damaging surface layer.
- Metal surfaces should be cleaned in the same manner as for worktops.
- All stains should be removed at the earliest opportunity; this will make their removal considerably easier.
- Fabrics should be cleaned regularly by lightly vacuuming the surface to remove dust before it becomes ingrained.
- Stains may be removed using a foam type of cleaner following the manufacturer's instructions. Always test a small area prior to cleaning large areas.
- Should an item become damaged beyond repair replacement items are available directly from Task Systems Ltd.
- Task Service staff may be contacted to undertake maintenance procedures on an annual basis, a small charge will be made against this work.

WORKWALL

WARRANTY



TASK TERMS & CONDITIONS

GENERAL

(a) Task Systems Ltd. (herein after referred to as "the company") quote for and accept all orders subject to only the terms and conditions herein contained which are to the extent permitted by law to the exclusion of all other guarantees, conditions and warranties (including any as to quality or fitness for any particular purpose) whether express or implied by statute, common law or otherwise. In the event of customers' orders containing terms or conditions inconsistent with these terms of trading, the latter shall prevail.

(b) No addition or variation from these terms and conditions shall have effect unless the same is expressly accepted by the company in writing under the hand of a director of the company.

(c) The company's catalogues, price lists and other advertising matter shall not form part of any contract between the company and its customers.

(d) The company reserves the right to modify designs and specifications without prior notification.



WARRANTY

WARRANTY

Task Systems Ltd. products meet all relevant test criteria for strength, stability and ergonomics.

We offer a 5 year warranty for all soft seating, chairs and coffee tables, starting from the date of original installation. We offer a 10 year warranty for operator chairs. The warranty covers all manufacturing and component defects.

Task Systems Ltd. offer a full and comprehensive 10 year warranty period for workstations, workwall and storage commencing from date of delivery.



WARRANTY

TASK SYSTEMS LTD. DOES NOT WARRANT:

- Natural variations in wood grain or figure or the presence of character marks
- Changes in surface finishes due to aging or exposure to light
- Failure resulting from normal wear and tear
- Damage, marking or staining of veneer surfaces due to contact with rubber or similar compounds
- Damage from sharp objects or imprinting from writing instruments or prolonged exposure to direct sunlight

Our supply chain has been in operation for many years and is well structured and tested. It is our policy to dual source materials wherever possible thus avoiding any adverse risk exposure. Our supply chain is selected for its high standards and over the years we have worked in partnership to further enhance these standards.

We believe in open management and partner companies with a similar philosophy to ours.

All Task Systems Ltd. suppliers are constantly monitored and it is our policy to make regular visits to ensure the management and production process are in line with our standards.



TASKSYSTEMS.CO.UK

020 7540 6400
INFO@TASKSYSTEMS.CO.UK